Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 681 (2003) 281–282
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author Index of Volume 681

Abdul Malik, K.M., 237
Adams, R.D., 258
Antipin, M.Y., 59
Arévalo, S., 228
Artamkina, G.A., 59

Bailey, W.F., 210
Balerna, A., 37
Beletskaya, I.P., 59
Belsky, V.K., 167
Bennett, D.W., 237
Bonillo, M.R., 228
Borrmann, H., 5
Brubaker, J.D., 210
Bulychev, B.M., 167

Cai, M.-Z., 98
Caporusso, A.M., 37
Carrillo, D., 150
Caubet, A., 82
Cheung, K.-K., 196
Cheung, K.-L., 196
Colonna, S., 37
Coluccia, S., 37
Crespo, M., 143

Day, C.S., 120
de Jesús, E., 228
de la Mata, F.J., 228
Deng, M., 174

Eberhard, M.R., 189
Eichele, K., 12
Eriksson, J., 215
Evangelisti, C., 37

Faga, M.G., 37
Ferrer, M., 158
Field, L.D., 91
Flores, J.C., 228
Font-Bardia, M., 82
Font-Bardia, M., 143
Fuentealba, M., 150

Gevert, O., 70
Gómez, R., 228
Gómez-Sal, P., 228
Görls, H., 24
Görtz, H.-H., 12
Granell, J., 143
Gu, H., 51
Gu, W., 51

Håkansson, M., 215
Hamon, J.-R., 150
Haworth, D.T., 237
Henes, M., 12
Hernández, O.S., 115
Herzog, U., 5
Hu, B., 275
Hu, Q.-M., 264
Huang, J.-D., 98

Jäkle, F., 134
Jensen, C.M., 189
Jordan, K.P., 210

Kabir, S.E., 237
Kajitani, M., 180
Katsuta, H., 180
Kawakita, A., 180
Khrustalev, V.N., 59
Khvostov, A.V., 167
Kindy, J.M., 120
King, J.D., 102
Klimova, E., 115
Klimova, T., 115
Kwon, O.-S., 258

Lamm, K., 24
Lang, J., 174
Lewkowski, J., 225
Lindner, E., 12
Liu, P.-C., 264
Liu, W., 269
López, C., 82
Lu, C., 269
Lu, G.-L., 264
Luinstra, G.A., 12

Major, Q., 250
Manfredotti, C., 37
Manzur, C., 150
Martínez, G.M., 115
Martra, G., 37
Matsukawa, S., 189
Mays, M.J., 102
McDonald, R., 250
McPartlin, M., 102
Meier, M., 24
Méndez, I.D., 115
Meng, Q., 269
Mobilio, S., 37

Ni, C., 269
Ni, Z., 269

Nomura, M., 180

Ortega, P., 228

Pan, Y., 51
Panziera, N., 37
Panzner, M.J., 1
Peng, C.-Y., 98
Pérez, S., 82
Pertici, P., 37
Pervin, S., 237
Pickin, K.A., 120

Rodríguez, L., 158
Rossell, O., 158

Salvadori, P., 37
Sanyal, S., 258
Sarker, N.C., 237
Sazonov, P.K., 59
Sharmin, A., 237
Shen, Q., 174
Shen, Y., 51
Siddiquee, T.A., 237
Simons, R.S., 1
Sizov, A.I., 167
Solan, G.A., 102
Solans, X., 82, 143
Song, L.-C., 264
Stash, A.I., 167
Steimann, M., 12
Stempfle, B., 70
Stollenz, M., 24
Stone, C.L., 102
Sugiyama, T., 180
Sun, J., 275
Sundararaman, A., 134

Takats, J., 250
Takayama, C., 180
Tessier, C.A., 1
Trujillo, A., 150

Vestergren, M., 215
Vitulli, G., 37

Walther, D., 24
Wang, G.-F., 264
Wang, Z., 189
Ward, A.J., 91
Welker, M.E., 120
Werner, H., 70
Wielandt, W., 12

Elsevier B.V.
doi:10.1016/S0022-328X(03)00822-2

Xie, J., 269

Yam, V.W.-W., 196
Yamamoto, Y., 189
Yao, Y., 174, 269
Yesmin, A., 237
Yin, Y.-Q., 275
Yip, S.-K., 196
Yokoyama, Y., 180
Youngs, W.J., 1
Yuan, F., 51

Zhang, W.-Q., 275
Zhang, Y., 174
Zhang, Y.-H., 275
Zhou, Y., 174
Zhu, B.-H., 275
Zhu, H., 269
Zhu, Y., 51
Zou, Y., 269
Zvukova, T.M., 167

Available online at www.sciencedirect.com
SCIENCE DIRECT
ELSEVIER
Journal of Organometallic Chemistry 681 (2003) 283–287
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 681

Adamantane
Organosilicon chalcogenides with trisilane units — adamantanes and noradamantanes, 5
Addition
The unusual stereochemical behaviour of ferrocenecarboxaldehyde in reaction with chiral alkylammonium hypophosphite, 225
Alkylidyne
Transformations of organoarsine-oxides and -sulfides on di- and tri-cobalt carbonyl centres, 102
Alkyne
Catalytic hydrosilylation of acetylenes mediated by phosphine complexes of cobalt(I), rhodium(I), and iridium(I), 91
Reaction of $[M(CO)_4(\eta^2\text{-}C_2H_2)]$ (M = Fe, Os) with $[(\eta^5\text{-}C_5H_5)(CO)_2W{\equiv}CC_6H_5]$; unexpected substitution of acetylene, formation and molecular structure of $[MW(\mu\text{-}CC_6H_5)(CO)_6(\eta^5\text{-}C_5H_5)]$, 250
Transformations of organoarsine-oxides and -sulfides on di- and tri-cobalt carbonyl centres, 102
Alkynyl ligands
Synthesis, characterization, structure and luminescence studies of mono-, di- and trinuclear gold(I) phosphine alkynyl complexes, 196
Allylic alkylation
A structure–activity relationship for pincer palladium(II) complexes — influence of ring-size of metallacycles on the activity in allylic alkylation, 189
Aluminum hydrides
Transition metal-catalyzed reduction of Zr^{IV} in Cp_2ZrX_2–$LiAlH_4$ and Cp_2ZrX_2–AlH_3 (X = Cl, Br, I) systems: structural study of resulting zirconocene(III) aluminum hydride complexes, 167
Arylation
A comparative study of base-free arylcopper reagents for the transfer of aryl groups to boron halides, 134
Aryloxide
Synthesis of polymetallic Group 4 complexes bridged by benzenediolate and triolate ligands. X-ray crystal structure of $[\{Ti(C_5Me_5)Cl_2\}_2\{\mu\text{-}1,4\text{-}O(2,3\text{-}C_6H_2Me_2)O\text{-}\}]$, 228
Azide
Reactions of cobaltadithiolene complexes with aryl azides: Formations of metal chelate rings containing nitrogen atoms by substitution reactions via nitrene, 180
Azomethine bond
The unusual stereochemical behaviour of ferrocenecarboxaldehyde in reaction with chiral alkylammonium hypophosphite, 225

Bis(cyclopentadienyl)methane
Preparation of cyclopentadienylrhodium(I) compounds with a dangling $CH_2C_5H_5$ unit and their use as starting materials for the synthesis of hetero-bimetallic Rh–Ti and Rh–Zr complexes, 70
Bis-diarsineoxide
Transformations of organoarsine-oxides and -sulfides on di- and tri-cobalt carbonyl centres, 102
Bis-diarsinesulfide
Transformations of organoarsine-oxides and -sulfides on di- and tri-cobalt carbonyl centres, 102
Boron
A comparative study of base-free arylcopper reagents for the transfer of aryl groups to boron halides, 134
Bridging carbyne
Reaction of $[M(CO)_4(\eta^2\text{-}C_2H_2)]$ (M = Fe, Os) with $[(\eta^5\text{-}C_5H_5)(CO)_2W{\equiv}CC_6H_5]$; unexpected substitution of acetylene, formation and molecular structure of $[MW(\mu\text{-}CC_6H_5)(CO)_6(\eta^5\text{-}C_5H_5)]$, 250

Carbonyl
Reaction of $[M(CO)_4(\eta^2\text{-}C_2H_2)]$ (M = Fe, Os) with $[(\eta^5\text{-}C_5H_5)(CO)_2W{\equiv}CC_6H_5]$; unexpected substitution of acetylene, formation and molecular structure of $[MW(\mu\text{-}CC_6H_5)(CO)_6(\eta^5\text{-}C_5H_5)]$, 250
Carbonylmetallates
Nucleophilic vinylic substitution with transition metal carbonyl anions—a rare case of a halophilic reaction mechanism: Formation of halo(acyl)rhenate complexes and X-ray structure of *cis*-$[CF_2{=}CF(CO)Re(CO)_4Br]Na$, 59
Catalysis
Supported rhodium nanoparticles in catalysis: the role of stabilizers on catalytic activity and structural features, 37
Catalysts
Binuclear oxalamidinate complexes $(MePd)_2$(oxam) and homoleptic complexes of the type $[(THF)_nLi_4(Me_8)M_2]$ and $[(THF)_4Li_2(Ph_4)M]$ (M = Pd, Ni): synthesis, structures and catalytic C–C linking reactions, 24
Chiral
Chiral *cis*-octahedral Grignard reagents, 215
Cobalt
Transformations of organoarsine-oxides and -sulfides on di- and tri-cobalt carbonyl centres, 102
Cobaltadithiolene
Reactions of cobaltadithiolene complexes with aryl azides: Formations of metal chelate rings containing nitrogen atoms by substitution reactions via nitrene, 180
Copper
A comparative study of base-free arylcopper reagents for the transfer of aryl groups to boron halides, 134
Cross-coupling
Binuclear oxalamidinate complexes $(MePd)_2$(oxam) and homoleptic complexes of the type $[(THF)_nLi_4(Me_8)M_2]$ and $[(THF)_4Li_2(Ph_4)M]$ (M = Pd, Ni): synthesis, structures and catalytic C–C linking reactions, 24
Cross-coupling reaction
Stereoselective synthesis of (*Z*,*E*)-2-phenylselenobutadienes by palladium-catalyzed cross-coupling reaction, 98
Crystal structure
Chiral *cis*-octahedral Grignard reagents, 215
Synthesis, structures and reactivity of bis(diphenylphosphino)-methane (dppm)-substituted selenido osmium carbonyl clusters, 237

Elsevier B.V.
doi:10.1016/S0022-328X(03)00820-9

Crystal structures
Synthesis and characterization of a new class of divalent lanthanide complexes $\{[C_5H_4(CMe_2Ph)]_4Ln_2(\mu\text{-}X)_2\}[Li(DME)_3]_2$ (Ln = Sm, X = I; Ln = Yb, X = Cl; DME = dimethoxyethane), dimethoxyethane), 174
Synthesis and characterization of new rhodium–cobalt mixed-metal octahedral linked clusters containing η^2-diyne ligands, 275
Transition metal-catalyzed reduction of Zr^{IV} in Cp_2ZrX_2–$LiAlH_4$ and Cp_2ZrX_2–AlH_3 (X = Cl, Br, I) systems: structural study of resulting zirconocene(III) aluminum hydride complexes, 167
[4+2] Cycloaddition
Simple preparation of cobaloxime dienyl complexes and their *exo* selective Diels–Alder cycloadducts: Progress toward transition metal-mediated Diels–Alder reactions which are catalytic in metal dienyl complex, 120
Cyclometallated compounds
Reactions of [C,N,N']-cyclometallated platinum compounds with phosphines: *transphobia* and effect of the chloro substituents: Crystal structure of $[PtCl(3,5\text{-}C_6H_2Cl_2CHNCH_2CH_2NMe_2)(PPh_3)_2]$, 143
Cyclometallation
Formation of a sterically crowded iridium(III)-silyl complex from the bulky terphenyl silane $H_3Si(C_6H_3\text{–}Mes_2\text{-}2,6)$, 1
Cyclopalladated complexes
Assembly of cyclopalladated units: synthesis, characterisation, X-ray crystal structure and study of the reactivity of the tetrametallic cyclopalladated complex $[Pd\{C_6H_4\text{–}CH=N\text{–}(C_6H_4\text{–}2\text{-}O)\}]_4\cdot 2CHCl_3$, 82
Cyclopentadiene
Synthesis of ferrocenylvinylcyclopropene and its transformation into cyclopentadiene, 115
Cyclopentadienyl
Synthesis and characterization of a new class of divalent lanthanide complexes $\{[C_5H_4(CMe_2Ph)]_4Ln_2(\mu\text{-}X)_2\}[Li(DME)_3]_2$ (Ln = Sm, X = I; Ln = Yb, X = Cl; DME = dimethoxyethane), dimethoxyethane), 174
Synthesis of polymetallic Group 4 complexes bridged by benzenediolate and triolate ligands. X-ray crystal structure of $[\{Ti(C_5Me_5)Cl_2\}_2\{\mu\text{-}1,4\text{-}O(2,3\text{-}C_6H_2Me_2)O\text{–}\}]$, 228
Cyclopentadienyl manganese tricarbonyl
Intramolecular photo-substitution in the inclusion compound of mono[6-deoxy-6-(2-aminoethyl thio-1,2-dicyane ethylenylthio)]-β-cyclodextrin with cyclopentadienyl manganese tricarbonyl in DMF solution, 269
Cyclopropane
Synthesis of ferrocenylvinylcyclopropene and its transformation into cyclopentadiene, 115
Cyclopropene
Synthesis of ferrocenylvinylcyclopropene and its transformation into cyclopentadiene, 115

Demetallation
Simple preparation of cobaloxime dienyl complexes and their *exo* selective Diels–Alder cycloadducts: Progress toward transition metal-mediated Diels–Alder reactions which are catalytic in metal dienyl complex, 120
Dianion
Synthesis and characterization of a new class of divalent lanthanide complexes $\{[C_5H_4(CMe_2Ph)]_4Ln_2(\mu\text{-}X)_2\}[Li(DME)_3]_2$ (Ln = Sm, X = I; Ln = Yb, X = Cl; DME = dimethoxyethane), dimethoxyethane), 174
Diels–Alder
Simple preparation of cobaloxime dienyl complexes and their *exo* selective Diels–Alder cycloadducts: Progress toward transition metal-mediated Diels–Alder reactions which are catalytic in metal dienyl complex, 120
Dienyl complexes
Simple preparation of cobaloxime dienyl complexes and their *exo* selective Diels–Alder cycloadducts: Progress toward transition metal-mediated Diels–Alder reactions which are catalytic in metal dienyl complex, 120
Diphosphine
Study of the self-assembly reactions between the organic linker 1,4-bis(4-pyridyl)butadiyne and the metal-containing corners (diphosphine)M(II) (M = Pd, Pt; diphosphine = dppp, dppf, depe, dppbz), 158
Dipolar chromophores
Synthesis and properties of new dinuclear organoiron(II) hydrazones combining the potent electron-donating $[-(\eta^5\text{-}C_5H_4)FeCp]$ fragment with $[CpFe(\eta^6\text{-arene})\text{–}]^+$-type acceptors, 150
1,3-Dipole
Reactions of cobaltadithiolene complexes with aryl azides: Formations of metal chelate rings containing nitrogen atoms by substitution reactions via nitrene, 180
Diyne ligand
Synthesis and characterization of new rhodium–cobalt mixed-metal octahedral linked clusters containing η^2-diyne ligands, 275

Electroluminescence
Synthesis, structural characterization and electroluminescence study of alkylgallium derivatives of thiobenzhydrazones, 51

Ferrocene
Synthesis of ferrocenylvinylcyclopropene and its transformation into cyclopentadiene, 115
Ferrocenecarboxaldehyde
The unusual stereochemical behaviour of ferrocenecarboxaldehyde in reaction with chiral alkylammonium hypophosphite, 225
Ferrocene complexes
Synthesis and properties of new dinuclear organoiron(II) hydrazones combining the potent electron-donating $[-(\eta^5\text{-}C_5H_4)FeCp]$ fragment with $[CpFe(\eta^6\text{-arene})\text{–}]^+$-type acceptors, 150
Formaldehyde
Transition metal-catalyzed polymerization of 1,3,5-trioxane, 12
[60]Fullerene complexes
Synthesis, characterization and properties of new organocobalt complexes containing η^5-functionally substituted cyclopentadienyl and [60]fullerene ligands, 264

Gold(I)
Synthesis, characterization, structure and luminescence studies of mono-, di- and trinuclear gold(I) phosphine alkynyl complexes, 196
Grignard reagents
Chiral *cis*-octahedral Grignard reagents, 215

Halogen–metal exchange
Nucleophilic vinylic substitution with transition metal carbonyl anions—a rare case of a halophilic reaction mechanism: Formation of halo(acyl)rhenate complexes and X-ray structure of *cis*-$[CF_2{=}CF(CO)Re(CO)_4Br]Na$, 59
Heck reaction
Binuclear oxalamidinate complexes $(MePd)_2$(oxam) and homoleptic complexes of the type $[(THF)_nLi_4(Me_8)M_2]$ and $[(THF)_4Li_2(Ph_4)M]$ (M = Pd, Ni): synthesis, structures and catalytic C–C linking reactions, 24
Hetero-bimetallic complexes
Preparation of cyclopentadienylrhodium(I) compounds with a dangling $CH_2C_5H_5$ unit and their use as starting materials for the synthesis of hetero-bimetallic Rh–Ti and Rh–Zr com-

plexes, 70
Homogeneous catalysis
Transition metal-catalyzed polymerization of 1,3,5-trioxane, 12
Hydrogen sulfide
Transformations of organoarsine-oxides and -sulfides on di- and tri-cobalt carbonyl centres, 102
Hydrosilation
Catalytic hydrosilylation of acetylenes mediated by phosphine complexes of cobalt(I), rhodium(I), and iridium(I), 91
Hydrozirconation
Stereoselective synthesis of (*Z*,*E*)-2-phenylselenobutadienes by palladium-catalyzed cross-coupling reaction, 98

Inclusion compound
Intramolecular photo-substitution in the inclusion compound of mono[6-deoxy-6-(2-aminoethyl thio-1,2-dicyane ethylenylthio)]-β-cyclodextrin with cyclopentadienyl manganese tricarbonyl in DMF solution, 269
Intramolecular photo-substitution
Intramolecular photo-substitution in the inclusion compound of mono[6-deoxy-6-(2-aminoethyl thio-1,2-dicyane ethylenylthio)]-β-cyclodextrin with cyclopentadienyl manganese tricarbonyl in DMF solution, 269
Ion-pairs
Synthesis and characterization of a new class of divalent lanthanide complexes $\{[C_5H_4(CMe_2Ph)]_4Ln_2(\mu\text{-}X)_2\}\{Li(DME)_3]_2$ (Ln = Sm, X = I; Ln = Yb, X = Cl; DME = dimethoxyethane), dimethoxyethane), 174
Iridium
Catalytic hydrosilylation of acetylenes mediated by phosphine complexes of cobalt(I), rhodium(I), and iridium(I), 91
Formation of a sterically crowded iridium(III)-silyl complex from the bulky terphenyl silane $H_3Si(C_6H_3\text{–}Mes_2\text{-}2,6)$, 1
Iron
Reaction of $[M(CO)_4(\eta^2\text{-}C_2H_2)]$ (M = Fe, Os) with $[(\eta^5\text{-}C_5H_5)(CO)_2W{\equiv}CC_6H_5]$; unexpected substitution of acetylene, formation and molecular structure of $[MW(\mu\text{-}CC_6H_5)(CO)_6(\eta^5\text{-}C_5H_5)]$, 250
Syntheses and structures of selenido dimanganese and iron–manganese carbonyl cluster complexes, 258

Lewis acid
A comparative study of base-free arylcopper reagents for the transfer of aryl groups to boron halides, 134
Linked cluster
Synthesis and characterization of new rhodium–cobalt mixed-metal octahedral linked clusters containing η^2-diyne ligands, 275
Lithium–halogen exchange
Effect of solvent and temperature on the lithium–iodine exchange of primary alkyl iodides: reaction of *t*-butyllithium with 1-iodooctane in heptane–ether mixtures, 210
Luminescence
Synthesis, characterization, structure and luminescence studies of mono-, di- and trinuclear gold(I) phosphine alkynyl complexes, 196

Manganese
Syntheses and structures of selenido dimanganese and iron–manganese carbonyl cluster complexes, 258
Metal vapour synthesis
Supported rhodium nanoparticles in catalysis: the role of stabilizers on catalytic activity and structural features, 37
Mixed-metal
Synthesis and characterization of new rhodium–cobalt mixed-metal octahedral linked clusters containing η^2-diyne ligands, 275
Molecular recognition
Study of the self-assembly reactions between the organic linker 1,4-bis(4-pyridyl)butadiyne and the metal-containing corners (diphosphine)M(II) (M = Pd, Pt; diphosphine = dppp, dppf, depe, dppbz), 158
Molybdenum
Transition metal-catalyzed polymerization of 1,3,5-trioxane, 12
Mono[6-deoxy-6-(2-aminoethyl thio-1,2-dicyane ethylenylthio)]-β-CD
Intramolecular photo-substitution in the inclusion compound of mono[6-deoxy-6-(2-aminoethyl thio-1,2-dicyane ethylenylthio)]-β-cyclodextrin with cyclopentadienyl manganese tricarbonyl in DMF solution, 269

N-donor ligands
Reactions of [C,N,N′]-cyclometallated platinum compounds with phosphines: *transphobia* and effect of the chloro substituents: Crystal structure of $[PtCl(3,5\text{-}C_6H_2Cl_2CHNCH_2CH_2NMe_2)(PPh_3)_2]$, 143
Nickel
Binuclear oxalamidinate complexes $(MePd)_2$(oxam) and homoleptic complexes of the type $[(THF)_nLi_4(Me_8)M_2]$ and $[(THF)_4Li_2(Ph_4)M]$ (M = Pd, Ni): synthesis, structures and catalytic C–C linking reactions, 24
Nitrene
Reactions of cobaltadithiolene complexes with aryl azides: Formations of metal chelate rings containing nitrogen atoms by substitution reactions via nitrene, 180
Noradamantane
Organosilicon chalcogenides with trisilane units — adamantanes and noradamantanes, 5

Octahedral
Chiral *cis*-octahedral Grignard reagents, 215
Organoborane
A comparative study of base-free arylcopper reagents for the transfer of aryl groups to boron halides, 134
Organocobalt complexes
Synthesis, characterization and properties of new organocobalt complexes containing η^5-functionally substituted cyclopentadienyl and [60]fullerene ligands, 264
Organocopper reagent
A comparative study of base-free arylcopper reagents for the transfer of aryl groups to boron halides, 134
Organoiron complexes
Synthesis and properties of new dinuclear organoiron(II) hydrazones combining the potent electron-donating $[-(\eta^5\text{-}C_5H_4)FeCp]$ fragment with $[CpFe(\eta^6\text{-arene})-]^+$-type acceptors, 150
Organolithiums
Effect of solvent and temperature on the lithium–iodine exchange of primary alkyl iodides: reaction of *t*-butyllithium with 1-iodooctane in heptane–ether mixtures, 210
Organometallic hydrazone complexes
Synthesis and properties of new dinuclear organoiron(II) hydrazones combining the potent electron-donating $[-(\eta^5\text{-}C_5H_4)FeCp]$ fragment with $[CpFe(\eta^6\text{-arene})-]^+$-type acceptors, 150
Osmium
Reaction of $[M(CO)_4(\eta^2\text{-}C_2H_2)]$ (M = Fe, Os) with $[(\eta^5\text{-}C_5H_5)(CO)_2W{\equiv}CC_6H_5]$; unexpected substitution of acetylene, formation and molecular structure of $[MW(\mu\text{-}CC_6H_5)(CO)_6(\eta^5\text{-}C_5H_5)]$, 250

Palladium
A structure–activity relationship for pincer palladium(II) complexes — influence of ring-size of metallacycles on the activity in allylic alkylation, 189

Binuclear oxalamidinate complexes $(MePd)_2$(oxam) and homoleptic complexes of the type $[(THF)_n Li_4(Me_8)M_2]$ and $[(THF)_4Li_2(Ph_4)M]$ (M = Pd, Ni): synthesis, structures and catalytic C–C linking reactions, 24
Stereoselective synthesis of (*Z*,*E*)-2-phenylselenobutadienes by palladium-catalyzed cross-coupling reaction, 98
Study of the self-assembly reactions between the organic linker 1,4-bis(4-pyridyl)butadiyne and the metal-containing corners (diphosphine)M(II) (M = Pd, Pt; diphosphine = dppp, dppf, depe, dppbz), 158
Phosphine ligands
Synthesis, characterization, structure and luminescence studies of mono-, di- and trinuclear gold(I) phosphine alkynyl complexes, 196
Phosphines
Reactions of [C,N,N′]-cyclometallated platinum compounds with phosphines: *transphobia* and effect of the chloro substituents: Crystal structure of $[PtCl(3,5\text{-}C_6H_2Cl_2CHNCH_2CH_2NMe_2)(PPh_3)_2]$, 143
Phosphine selenide
Syntheses and structures of selenido dimanganese and iron–manganese carbonyl cluster complexes, 258
Phosphorus
A structure–activity relationship for pincer palladium(II) complexes — influence of ring-size of metallacycles on the activity in allylic alkylation, 189
Pincer
A structure–activity relationship for pincer palladium(II) complexes — influence of ring-size of metallacycles on the activity in allylic alkylation, 189
Platinum
Reactions of [C,N,N′]-cyclometallated platinum compounds with phosphines: *transphobia* and effect of the chloro substituents: Crystal structure of $[PtCl(3,5\text{-}C_6H_2Cl_2CHNCH_2CH_2NMe_2)(PPh_3)_2]$, 143
Study of the self-assembly reactions between the organic linker 1,4-bis(4-pyridyl)butadiyne and the metal-containing corners (diphosphine)M(II) (M = Pd, Pt; diphosphine = dppp, dppf, depe, dppbz), 158
PMP angle
A structure–activity relationship for pincer palladium(II) complexes — influence of ring-size of metallacycles on the activity in allylic alkylation, 189
Polyfluorinated alkenyl halides
Nucleophilic vinylic substitution with transition metal carbonyl anions—a rare case of a halophilic reaction mechanism: Formation of halo(acyl)rhenate complexes and X-ray structure of *cis*-$[CF_2{=}CF(CO)Re(CO)_4Br]Na$, 59
Polyoxymethylene
Transition metal-catalyzed polymerization of 1,3,5-trioxane, 12
Push–pull complexes
Synthesis and properties of new dinuclear organoiron(II) hydrazones combining the potent electron-donating $[-(\eta^5\text{-}C_5H_4)FeCp]$ fragment with $[CpFe(\eta^6\text{-arene})-]^+$-type acceptors, 150

Reverse saturable absorption
Synthesis, characterization and properties of new organocobalt complexes containing η^5-functionally substituted cyclopentadienyl and [60]fullerene ligands, 264
Rhenium acyl anions
Nucleophilic vinylic substitution with transition metal carbonyl anions—a rare case of a halophilic reaction mechanism: Formation of halo(acyl)rhenate complexes and X-ray structure of *cis*-$[CF_2{=}CF(CO)Re(CO)_4Br]Na$, 59
Rhodium
Catalytic hydrosilylation of acetylenes mediated by phosphine complexes of cobalt(I), rhodium(I), and iridium(I), 91
Preparation of cyclopentadienylrhodium(I) compounds with a dangling $CH_2C_5H_5$ unit and their use as starting materials for the synthesis of hetero-bimetallic Rh–Ti and Rh–Zr complexes, 70
Rhodium and cobalt
Synthesis and characterization of new rhodium–cobalt mixed-metal octahedral linked clusters containing η^2-diyne ligands, 275

Selenium
Organosilicon chalcogenides with trisilane units — adamantanes and noradamantanes, 5
Stereoselective synthesis of (*Z*,*E*)-2-phenylselenobutadienes by palladium-catalyzed cross-coupling reaction, 98
Syntheses and structures of selenido dimanganese and iron–manganese carbonyl cluster complexes, 258
Selenium ligands
Synthesis, structures and reactivity of bis(diphenylphosphino)-methane (dppm)-substituted selenido osmium carbonyl clusters, 237
Self-assembly
Assembly of cyclopalladated units: synthesis, characterisation, X-ray crystal structure and study of the reactivity of the tetrametallic cyclopalladated complex $[Pd\{C_6H_4\text{–}CH{=}N\text{–}(C_6H_4\text{–}2\text{-}O)\}]_4\cdot 2CHCl_3$, 82
Study of the self-assembly reactions between the organic linker 1,4-bis(4-pyridyl)butadiyne and the metal-containing corners (diphosphine)M(II) (M = Pd, Pt; diphosphine = dppp, dppf, depe, dppbz), 158
Self-stabilized compound
Intramolecular photo-substitution in the inclusion compound of mono[6-deoxy-6-(2-aminoethyl thio-1,2-dicyane ethylenylthio)]-β-cyclodextrin with cyclopentadienyl manganese tricarbonyl in DMF solution, 269
Silanes
Formation of a sterically crowded iridium(III)-silyl complex from the bulky terphenyl silane $H_3Si(C_6H_3\text{–}Mes_2\text{-}2,6)$, 1
Silyl complexes
Formation of a sterically crowded iridium(III)-silyl complex from the bulky terphenyl silane $H_3Si(C_6H_3\text{–}Mes_2\text{-}2,6)$, 1
SNV reactions
Nucleophilic vinylic substitution with transition metal carbonyl anions—a rare case of a halophilic reaction mechanism: Formation of halo(acyl)rhenate complexes and X-ray structure of *cis*-$[CF_2{=}CF(CO)Re(CO)_4Br]Na$, 59
Solvent effects
Effect of solvent and temperature on the lithium–iodine exchange of primary alkyl iodides: reaction of *t*-butyllithium with 1-iodooctane in heptane–ether mixtures, 210
Stereoselective section
Chiral *cis*-octahedral Grignard reagents, 215
Stereoselectivity
The unusual stereochemical behaviour of ferrocenecarboxaldehyde in reaction with chiral alkylammonium hypophosphite, 225
Sulfur
Organosilicon chalcogenides with trisilane units — adamantanes and noradamantanes, 5
Sulfur replacement
Reactions of cobaltadithiolene complexes with aryl azides: Formations of metal chelate rings containing nitrogen atoms by substitution reactions via nitrene, 180
Supported rhodium nanoparticles
Supported rhodium nanoparticles in catalysis: the role of stabilizers on catalytic activity and structural features, 37
Supramolecular chemistry
Study of the self-assembly reactions between the organic linker 1,4-

bis(4-pyridyl)butadiyne and the metal-containing corners (diphosphine)M(II) (M = Pd, Pt; diphosphine = dppp, dppf, depe, dppbz), 158
Surface properties
Supported rhodium nanoparticles in catalysis: the role of stabilizers on catalytic activity and structural features, 37
Synthesis
Synthesis, characterization and properties of new organocobalt complexes containing η^5-functionally substituted cyclopentadienyl and [60]fullerene ligands, 264

Tetraosmium clusters
Synthesis, structures and reactivity of bis(diphenylphosphino)-methane (dppm)-substituted selenido osmium carbonyl clusters, 237
Thiobenzhydrazone
Synthesis, structural characterization and electroluminescence study of alkylgallium derivatives of thiobenzhydrazones, 51
Titan
Preparation of cyclopentadienylrhodium(I) compounds with a dangling $CH_2C_5H_5$ unit and their use as starting materials for the synthesis of hetero-bimetallic Rh–Ti and Rh–Zr complexes, 70
Titanium
Synthesis of polymetallic Group 4 complexes bridged by benzenediolate and triolate ligands. X-ray crystal structure of [{Ti(C_5-Me_5)Cl_2}$_2${μ-1,4-O(2,3-$C_6H_2Me_2$)O–}], 228
Trialkylgallium
Synthesis, structural characterization and electroluminescence study of alkylgallium derivatives of thiobenzhydrazones, 51
Trioctylamine
Supported rhodium nanoparticles in catalysis: the role of stabilizers on catalytic activity and structural features, 37
Triosmium clusters
Synthesis, structures and reactivity of bis(diphenylphosphino)-methane (dppm)-substituted selenido osmium carbonyl clusters, 237
Trioxane
Transition metal-catalyzed polymerization of 1,3,5-trioxane, 12
Trisilane
Organosilicon chalcogenides with trisilane units — adamantanes and noradamantanes, 5

Vinylsilane
Catalytic hydrosilylation of acetylenes mediated by phosphine complexes of cobalt(I), rhodium(I), and iridium(I), 91

X-ray crystallography
Synthesis, structural characterization and electroluminescence study of alkylgallium derivatives of thiobenzhydrazones, 51
X-ray crystal structures
Assembly of cyclopalladated units: synthesis, characterisation, X-ray crystal structure and study of the reactivity of the tetrametallic cyclopalladated complex [Pd {C_6H_4–CH=N–(C_6H_4–2-O)}]$_4$·$2CHCl_3$, 82
X-ray structure
Reaction of [$M(CO)_4(\eta^2$-$C_2H_2)$] (M = Fe, Os) with [(η^5-C_5H_5)$(CO)_2$W≡CC_6H_5]; unexpected substitution of acetylene, formation and molecular structure of [$MW(\mu$-$CC_6H_5)(CO)_6(\eta^5$-$C_5H_5)$], 250
X-ray structures
Transition metal-catalyzed polymerization of 1,3,5-trioxane, 12

Zirconium
Stereoselective synthesis of (*Z*,*E*)-2-phenylselenobutadienes by palladium-catalyzed cross-coupling reaction, 98
Synthesis of polymetallic Group 4 complexes bridged by benzenediolate and triolate ligands. X-ray crystal structure of [{Ti(C_5-Me_5)Cl_2}$_2${μ-1,4-O(2,3-$C_6H_2Me_2$)O–}], 228
Zirconium(III)
Transition metal-catalyzed reduction of Zr^{IV} in Cp_2ZrX_2–$LiAlH_4$ and Cp_2ZrX_2–AlH_3 (X = Cl, Br, I) systems: structural study of resulting zirconocene(III) aluminum hydride complexes, 167
Zirconocenes
Transition metal-catalyzed reduction of Zr^{IV} in Cp_2ZrX_2–$LiAlH_4$ and Cp_2ZrX_2–AlH_3 (X = Cl, Br, I) systems: structural study of resulting zirconocene(III) aluminum hydride complexes, 167
Zirkonium
Preparation of cyclopentadienylrhodium(I) compounds with a dangling $CH_2C_5H_5$ unit and their use as starting materials for the synthesis of hetero-bimetallic Rh–Ti and Rh–Zr complexes, 70